Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

 (Currently amended) A method in a data processing system for monitoring execution of instructions, the method comprising:

identifying an instruction for execution;

determining whether the instruction is within a contiguous range of instructions; [[and]]

responsive to determining that the instruction is within a contiguous range of instructions,

counting at least one of a number of times the contiguous range of instructions is entered during execution

of a program and a number of times the instruction has been executed; and

providing a result of the counting generating execution information relating to the instruction if the instruction is within the contiguous range of instructions.

- (Canceled)
- (Currently amended) The method of claim [[2]] \(\frac{1}{2}\), wherein the counting step comprises: sending a signal from an instruction cache to a performance monitor unit; and the performance monitor unit tracking the counting of each event associated with an axea.

the performance monitor unit tracking the counting of each event associated with an execution of the instruction if the instruction is within the contiguous range of instructions.

 (Currently amended) The method of claim 1, wherein the contiguous range of instructions comprises one contiguous range of instructions, and further comprising:

determining whether the instruction is within a-second another contiguous range of instructions; and

responsive to determining that the instruction is within the another contiguous range of instructions, counting at least one of a number of times the another contiguous range of instructions is entered during execution of the program and a number of times the instruction has been executed generating the execution information relating to the instruction if the instruction is within the second contiguous range of instructions.

(Canceled)

- (Previously Presented) The method of claim 1, wherein the determining step comprises:
 comparing an address of the instruction to a set of addresses in a set of registers in a processor to determine whether the instruction is in the contiguous range of instructions
- (Original) The method of claim 6 further comprising: setting the set of registers using a performance tool,
- (Currently amended) A method in a data processing system for monitoring access to data in memory locations, the method comprising:

identifying an access to data in a memory location:

determining whether the memory location is within a contiguous range of memory locations; [fand]]

responsive to determining that the memory location is within a contiguous range of memory locations, counting at least one of a number of times the contiguous range of memory locations is accessed during execution of a program and a number of times the memory location has been accessed; and

providing a result of the counting generating information relating to the memory location if the memory location is within the contiguous range of memory locations.

- (Canceled)
- 10. (Currently amended) The method of claim [[9]] §, wherein the counting step comprises: sending a signal from a data cache to a performance monitor unit; and the performance monitoring unit tracking the counting of each event associated with an access of the memory location if the memory location is within the contiguous range of memory locations.
- 11. (Currently amended) The method of claim 8, wherein the contiguous range of memory locations comprises one contiguous range of memory locations, and further comprising:

determining whether the memory location is within a-second another contiguous range of memory locations; and

responsive to determining that the memory location is within the another contiguous range of memory locations, counting at least one of a number of times the another contiguous range of memory locations is accessed during execution of the program and a number of times the memory location has

been accessed generating the information relating to the memory location if the instruction is within the second contiguous range of memory locations.

- 12. (Canceled)
- 13. (Previously Presented) The method of claim 8, wherein the determining step comprises: comparing an address of the memory location to a set of addresses in a set of registers in a processor to determine whether the memory location is in the contiguous range of memory locations.
- (Original) The method of claim 13 further comprising: setting the set of registers using a performance tool.
- 15. (Currently amended) A data processing system for monitoring execution of instructions, the data processing system comprising:

identifying means for identifying an instruction for execution;

determining means for determining whether the instruction is within a contiguous range of instructions; [[and]]

relating to the instruction if the instruction is within the contiguous range of instructions.

generating counting means_responsive to determining that the instruction is within a contiguous range of instructions, for counting at least one of a number of times the contiguous range of instructions is entered during execution of a program and a number of times the instruction has been executed; and providing means for providing a result of the counting for generating execution information

- (Canceled)
- 17. (Currently amended) The data processing system of claim [[16]] 15, wherein the counting means comprises:

sending means for sending a signal from an instruction cache to a performance monitor unit; and the performance monitor unit comprising tracking means for tracking the counting of each event associated with an execution of the instruction if the instruction is within the contiguous range of instructions.

18. (Currently amended) The data processing system of claim 15, wherein the determining means [[is]] comprises a first determining means for determining whether the instruction is within one

contiguous range of instructions, and wherein the generating counting means [[is]] comprises a first generating counting means and further comprising:

second determining means for determining whether the instruction is within a second another contiguous range of instructions; and

second generating counting means, responsive to determining that the instruction is within the another contiguous range of instructions, for counting at least one of a number of times the another contiguous range of instructions is entered during execution of the program and a number of times the instruction has been executed generating the execution information relating to the instruction if the instruction is within the second contiguous range of instructions.

- 19. (Canceled)
- 20. (Previously Presented) The data processing system of claim 15, wherein the determining means comprises:

comparing means for comparing an address of the instruction to a set of addresses in a set of registers in a processor to determine whether the instruction is in the contiguous range of instructions.

- (Original) The data processing system of claim 20 further comprising:
 setting means for setting the set of registers using a performance tool.
- 22. (Currently amended) A data processing system for monitoring access to data in memory locations, the data processing system comprising:

identifying means for identifying an access to data in a memory location;

determining means for determining whether the memory location is within a contiguous range of memory locations; [[and]]

generating counting means, responsive to determining that the memory location is within a contiguous range of memory locations, for counting at least one of a number of times the contiguous range of memory locations is accessed during execution of a program and a number of times the memory location has been accessed; and

providing means for providing a result of the counting generating information relating to the memory location if the memory location is within the contiguous range of memory locations.

(Canceled)

 (Currently amended) A computer program product in a <u>recordable-type</u> computer readable medium for monitoring execution of instructions, the computer program product comprising:

first instructions for identifying an instruction for execution;

second instructions for determining whether the instruction is within a contiguous range of instructions; [[and]]

third instructions, responsive to determining that the instruction is within a contiguous range of instructions, for counting at least one of a number of times the contiguous range of instructions is entered during execution of a program and a number of times the instruction has been executed; and

fourth instructions for providing a result of the counting generating execution information relating to the instruction if the instruction is within the contiguous range of instructions.

25. (Currently amended) A computer program product in a <u>recordable-type</u> computer readable medium for monitoring access to data in memory locations, the computer program product comprising: first instructions for identifying an access to data in a memory location:

second instructions for determining whether the memory location is within a contiguous range of memory locations; [[and]]

third instructions, responsive to determining that the memory location is within a contiguous range of memory locations, for counting at least one of a number of times the contiguous range of memory locations is accessed during execution of a program and a number of times the memory location has been accessed; and

fourth instructions for providing a result of the counting for generating information relating to the memory location if the memory location is within the contiguous range of memory locations.